

 **Sealed Air**

SpeedyPacker[®] Insight[™]

Foam-In-Bag Packaging Systems

Foam-in-Bag Packaging at the Touch of a Button

NEW!



SpeedyPacker® Insight™ Cushioning Solutions


A new world of packaging speed and versatility.

For high-volume packaging applications, nothing measures up better than our patented SpeedyPacker® Insight™ system. Versatile and efficient, you can dedicate a system to one packaging line or serve multiple lines with one system.

With a simple touch of a button, the SpeedyPacker® Insight™ system can produce up to 21 Instapak® foam-filled cushions per minute, increasing the productivity of your operation.

With an expansion rate of up to 280 times its liquid volume, Instapak® foam delivers significant savings in storage space and material handling costs compared to traditional packaging materials.

The SpeedyPacker® Insight™ system delivers cost effective, superior product protection and presents your product to your customers in an attractive, damage-free package.



19" Benchtop Model

A convenient stand-alone workstation.

Foam-in-Bag Cushioning



For high speed, custom-fit cushioning or heavy-duty blocking and bracing applications, nothing protects products better than Instapak® foam-in-bag packaging.

Combination Cushioning



Combine foam-filled bags and Continuous Foam Tubes (CFTs) to create cushions for your most demanding packaging assignments.



Bin not included.

Continuous Foam Tube (CFT) technology lets you use the SpeedyPacker® Insight™ system to produce a series of foam-filled tubular bags.

System pictured with optional workstation.



One Touch Operation

Full-color, user-friendly control panel.

Maximize efficiency, minimize waste, with the touch of a button.

Our new graphical display lets the operator select optimum bag size and foam combinations to provide fast, secure protection for a wide variety of items. Label and preset up to 156 cushion combinations.

Continuous Foam Tubes



Flexible Continuous Foam Tubes (CFTs) can be used to provide a base cushion or full wrap around. Insert blank film spaces between tubes to provide Instapak® protection only where needed.

SpeedyPacker® Insight™ Molding Solutions

Combine the speed of a foam-in-bag system with the protective properties of an engineered packaging solution.

When combined with one of our Instapak® molding systems, the SpeedyPacker® Insight™ system can instantly produce a custom-shaped cushion that provides exact product positioning and engineered package performance.

19" Floor Model with Instapak® Molding Wheel

Produce custom-shaped molded cushions on demand.



Instapak® Molding Wheel sold separately.

The SpeedyPacker® Insight™ Foam-In-Bag Molding Process



1. With the push of a button, the SpeedyPacker® Insight™ system quickly dispenses an Instapak® foam-filled bag.



2. When placed into the mold enclosure, the bag is drawn in by an on-board vacuum.



3. After the cushion has fully expanded, it is removed with the help of a built-in air ejection system.



4. Custom-shaped cushions provide cost-effective, consistent protection.

SpeedyPacker® Insight™ Void Fill Solutions

The SpeedyPacker® Insight™ system provides a fast, economical solution for your on-line void fill applications.

19" Floor Model

This height-adjustable system is ideal for high-volume "pick and pack" operations and distribution centers.

Perfect for busy "pick and pack" operations and distribution centers. Since Instapak® foam expands up to 280 times its liquid volume, the SpeedyPacker® Insight™ system frees up valuable warehouse space. The equivalent of a trailer load of packaging materials can be stored in two 55-gallon drums.



Office Supply Products



Ceramics and Giftware



Electronic Spare Parts



Books and DVDs



Simple, Fast and Cost-Effective

Foam-in-Bag Process



1. With the touch of a button, the operator selects the proper bag length and amount of Instapak® foam.



2. The operator places the foam-filled bag into the carton and nestles the product onto the expanding cushion.



3. A second foam-filled bag is placed on top of the product, and the carton flaps are closed.



4. The foam-filled bag expands around the product to form a top cushion.

Continuous Foam Tube (CFT) Process



The SpeedyPacker® Insight™ system can be set to batch produce and accumulate foam tube packs for later use or for delivery to multiple workstations.



With the easy-to-use control panel, the operator can select a series of CFTs or specify gaps of film between foam tubes. Tube diameter and length can also be adjusted.



Insert spaces between tubes to provide protection where needed.



A series of Continuous Foam Tubes (CFTs) can be used as a protective cushioning base.



The versatile Continuous Foam Tubes (CFTs) can be used for end caps or corner and edge protection.

SpeedyPacker® Insight™ System Options



19-Inch Benchtop System

For shipping room, stand-alone or multiple workstation environments, the SpeedyPacker® Insight™ benchtop model is fast, compact and convenient.

Shown with optional workstation.

- Machine Size:** 52" wide x 30" deep x 47" high
Film Size: 12" and 19" widths available
Production Rate: (21) 12" bags per minute, 50% foam-filled



19-Inch Floor Model

On-line, on demand, or linked with a molding station, nothing can outperform a height-adjustable SpeedyPacker® Insight™ packaging system.

- Machine Size:** 52" wide x 38" deep x 79" to 103" high
Film Size: 12" and 19" widths available
Production Rate: (21) 12" bags per minute, 50% foam-filled

System Power Requirements

Electrical: 208-240 VAC,
30 Amp, Single-Phase
Receptacle Type: NEMA L6-30R
UL and CE Approved



Instapak® Twin Vertical Molding Station

- Low Initial Investment
- Up to 100 Cushions Per Hour
- Floor Space Requirement: 12 Square Feet
- Electrical: 110-120 VAC, 15 Amp
- Receptacle Type: NEMA 5-15R

Instapak® Molding Wheel

- Space Efficient 6-Mold Configuration
- Up to 300 Cushions Per Hour
- Floor Space Requirement: 24 Square Feet
- Electrical: 110-120 VAC, 15 Amp
- Receptacle Type: NEMA 5-15R
- Air Requirement: 100 psi Clean Dry Air



Instamolder™ High-Speed Cushion Molding System

- Ideal for High Volume Packaging Operations
- Up to 12 Molds Available
- Up to 600 Cushions Per Hour
- Floor Space Requirement: 50 Square Feet
- Electrical: 208-240 VAC, 60 Hz, 30 Amp, Single-Phase
- Receptacle Type: NEMA L6-30R
- Air Requirement: 100 psi Clean Dry Air

Instapak® Pad Molder

- Create flat pads ranging in thickness from 0.5"-3.0"
- Up to six 17" Flat Pads Per Minute
- Floor Space Requirement: 18 Square Feet
- Electrical: 208-240 VAC, 50-60 Hz, 15 Amp, Single-Phase
- Receptacle Type: NEMA L6-30R



Distributed By:



Protective Packaging Division
10 Old Sherman Turnpike
Danbury, CT 06810
203-791-3500 Fax: 203-791-3618
www.instapak.com

Our Products Protect Your Products®

Customer Service Locations:

CA, City of Industry, 909-594-1791
CT, Danbury, 203-791-3550
OH, Sharonville, 513-771-7770

Corporate Office: Sealed Air Corporation,
Park 80 East, Saddle Brook, NJ 07663-5291

www.sealedair.com

© Reg. U.S. Pat. Off. © Sealed Air Corporation 2005. All rights reserved. Printed in the U.S.A.
The "9 Dot Logo" and "Sealed Air" are registered trademarks of Sealed Air Corporation (US).

D-89 2/05