# SAFETY DATA SHEET

Date Prepared : 09/10/2014 SDS No : LUM

# eLuminate

### 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: eLuminate GENERAL USE: Floor finish PRODUCT DESCRIPTION: Ultra Compatible Zinc Free Finish PRODUCT CODE: LUM CHEMICAL FAMILY: Acrylic/wax blend

#### MANUFACTURER

MISCO Products Corporation 1048 Stinson Drive Reading, PA 19605 Emergency Phone: 610-926-4106 Customer Service: 800-548-4568 Transportation: 800-548-4568

#### 2. HAZARDS IDENTIFICATION

#### GHS LABEL

#### HAZARD STATEMENTS

3266XHQZ: May be mildly irritating to eyes and skin.

### PRECAUTIONARY STATEMENT(S)

#### Prevention:

P262: Do not get in eyes, on skin, or on clothing.

P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

#### Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

#### Storage:

P404: Store in a closed container.

#### Disposal:

P501: Dispose of contents/container according to all local, state and Federal regulations.

### EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: White opaque liquid

IMMEDIATE CONCERNS: Mild eye irritant.

# POTENTIAL HEALTH EFFECTS

**EYES:** Contact may cause eye irritation.

SKIN: May be mildly irritating with prolonged or repeated contact.

### SKIN ABSORPTION: None known.

**INGESTION:** Although of moderate to low toxicity, ingestion of large amounts can cause gastrointestinal irritation, nausea, vomiting, diarrhea.

#### **INHALATION:** None Expected.

### **REPRODUCTIVE TOXICITY**

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name                                 | Wt.%    | CAS        |
|---|---------|------------|
| Acrylate Copolymer                            | 15 - 20 | N/A        |
| 2,2,4-trimethyl-1,3-pentanediol diisobutyrate | 0 - 5   | 6846-50-0  |
| Diethylene Glycol Ethyl Ether                 | 5 - 10  | 111-90-0   |
| Tributoxyethyl Phosphate                      | 0 - 5   | 78-51-3    |
| Oxidized Polyethylene                         | 0 - 5   | 68441-17-8 |
| 2,5-furandione, polymer with propene          | 0 - 5   | 25722-45-6 |
| Water   | 70 - 80 | 7732-18-5  |

### 4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

**INGESTION:** Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

**INHALATION:** No known significant effects or critical hazards.

### SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Slight discomfort with redness, watering eyes.

SKIN: No known significant effects or critical hazards.

INGESTION: Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: No known significant effects or critical hazards.

ACUTE TOXICITY: None known.

CHRONIC EFFECTS: No known significant effects or critical hazards.

# 5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: NA = Not Applicable GENERAL HAZARD: NA = Not Applicable EXTINGUISHING MEDIA: NA = Not Applicable FIRE FIGHTING PROCEDURES: NA = Not Applicable

#### 6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Avoid walking in product. Wipe up or otherwise flush small spills to sanitary sewer.

LARGE SPILL: Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

# ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid discharges into open waterways.

LAND SPILL: Avoid discharge to soil.

**AIR SPILL:** NA = Not Applicable

### 7. HANDLING AND STORAGE

GENERAL PROCEDURES: Close container after use.

HANDLING: Avoid contact with skin and eyes. Wash hands before eating, drinking, smoking or using toilet facilities.

STORAGE: Keep container closed to prevent drying out.

**STORAGE TEMPERATURE:** Store at ambient temperatures.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **EXPOSURE GUIDELINES**

| OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)      |     |                              |       |  |  |
|--|-----|------------------------------|-------|--|--|
|  |     | EXPOSURE LIMITS Supplier OEL |       |  |  |
|  |     |                              |       |  |  |
| Chemical Name                                    |     | ppm                          | mg/m³ |  |  |
| Diethylene Glycol Ethyl Ether                    | TWA | 25                           | 140   |  |  |
| ENGINEERING CONTROLS: None                       |     |                              |       |  |  |
| PERSONAL PROTECTIVE EQUIPMENT                    |     |                              |       |  |  |
| EYES AND FACE: Safety glasses with side shields. |     |                              |       |  |  |
| SKIN: Rubber or other chemical resistant gloves. |     |                              |       |  |  |
| <b>RESPIRATORY:</b> NA = Not Applicable          |     |                              |       |  |  |
| <b>PROTECTIVE CLOTHING:</b> NA = Not Applicable  |     |                              |       |  |  |
| 9. PHYSICAL AND CHEMICAL PROPERTIES              |     |                              |       |  |  |
| PHYSICAL STATE: Liquid                           |     |                              |       |  |  |
| ODOR: Characteristic.                            |     |                              |       |  |  |
| ODOR THRESHOLD: Not Established                  |     |                              |       |  |  |
| COLOR: White emulsion                            |     |                              |       |  |  |
| <b>pH:</b> 8.0 to 9.0                            |     |                              |       |  |  |
| PERCENT VOLATILE: >80                            |     |                              |       |  |  |
| FLASH POINT AND METHOD: None                     |     |                              |       |  |  |
| FLAMMABLE LIMITS: N/A                            |     |                              |       |  |  |
| AUTOIGNITION TEMPERATURE: NA = Not Applicable    |     |                              |       |  |  |
| VAPOR PRESSURE: Not Available                    |     |                              |       |  |  |
| VAPOR DENSITY: > 1 Air = 1                       |     |                              |       |  |  |
| BOILING POINT: 212º F; 100º C                    |     |                              |       |  |  |
| FREEZING POINT: 32° F; 0° C                      |     |                              |       |  |  |
| MELTING POINT: Not Available                     |     |                              |       |  |  |
| THERMAL DECOMPOSITION: Not Available             |     |                              |       |  |  |
| SOLUBILITY IN WATER: dispersable                 |     |                              |       |  |  |
| EVAPORATION RATE: (Water =1) 1.0                 |     |                              |       |  |  |
| <b>DENSITY:</b> 8.54 at (68°F)                   |     |                              |       |  |  |
| SPECIFIC GRAVITY: 1.023 grams/ml.                |     |                              |       |  |  |
| VISCOSITY: Water thin.                           |     |                              |       |  |  |
| (VOC): None                                      |     |                              |       |  |  |
| IO STABILITY AND REACTIVITY                      |     |                              |       |  |  |

# **10. STABILITY AND REACTIVITY**

REACTIVITY: Stable HAZARDOUS POLYMERIZATION: Will not occur. STABILITY: No known significant effects or critical hazards. CONDITIONS TO AVOID: Strong oxidizing materials. HAZARDOUS DECOMPOSITION PRODUCTS: None Expected. INCOMPATIBLE MATERIALS: Strong acids, oxidizers.

# **11. TOXICOLOGICAL INFORMATION**

### ACUTE

| Chemical Name                 | ORAL LD <sub>50</sub><br>(rat) | DERMAL LD <sub>50</sub><br>(rabbit) |
|-------------------------------|--------------------------------|-------------------------------------|
| Acrylate Copolymer            | > 10000 mg/kg<br>(rat)         |                                     |
| Diethylene Glycol Ethyl Ether | 6031 mg/kg<br>(mouse)          | 9143 mg/kg<br>(rabbit)              |
| Tributoxyethyl Phosphate      | 3000 mg/kg<br>(rat)            | 16 ml/kg (rabbit)                   |

**EYES:** Not Established

DERMAL LD<sub>50</sub>: No known significant effects or critical hazards.

SKIN ABSORPTION: No known significant effects or critical hazards.

**INHALATION LC<sub>50</sub>:** No known significant effects or critical hazards.

**EYE EFFECTS:** Mild to moderate eye irritant.

SKIN EFFECTS: May irritate skin with prolonged or repeated contact.

CHRONIC: No known significant effects or critical hazards.

### CARCINOGENICITY

IARC: No listed substance

**CORROSIVITY:** No known significant effects or critical hazards.

SENSITIZATION: No known significant effects or critical hazards.

**MUTAGENICITY:** No known significant effects or critical hazards.

### **12. ECOLOGICAL INFORMATION**

**ENVIRONMENTAL DATA:** No known significant effects or critical hazards.

ECOTOXICOLOGICAL INFORMATION: Not Established

AQUATIC TOXICITY (ACUTE): Not Established

### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Although not a hazardous waste, the discarding or disposal of this material should be done at a properly permitted facility in accordance with the regulations 40CFR 262, 263, 264, and 268. Additionally, the discarding or disposal of this material may be further regulated by state, regional, or local regulations.

FOR LARGE SPILLS: Consult with local and state authorities for large volume disposal.

**PRODUCT DISPOSAL:** See above.

**EMPTY CONTAINER:** Rinse container with clear water. Offer container for recycling, or dispose of in trash.

RCRA/EPA WASTE INFORMATION: NA = Not Applicable

#### 14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

# **PROPER SHIPPING NAME:** Liquid floor wax, not regulated.

# U.S. CUSTOMS HARMONIZATION NUMBER: 3209.10.00.00

# **15. REGULATORY INFORMATION**

# UNITED STATES

# SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Health - Acute

# FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: Yes CHRONIC: No

# EPCRA SECTION 313 SUPPLIER NOTIFICATION

| Chemical Name                 | Wt.%   | CAS      | Comments                   |
|-------------------------------|--------|----------|----------------------------|
| Diethylene Glycol Ethyl Ether | 5 - 10 | 111-90-0 | N230 Certain Glycol Ethers |

# 302/304 EMERGENCY PLANNING

**EMERGENCY PLAN:** NA = Not Applicable

# CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: NA = Not Applicable


# TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Chemical Inventory.

CARCINOGEN: No listed substance

# 16. OTHER INFORMATION

**PREPARED BY:** Regulatory Affairs Department **Date Prepared:** 09/10/2014



**MANUFACTURER DISCLAIMER:** This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.